

# DRYTAC®



# JETMOUNTER™

**COLD MOUNT LAMINATORS**



## JetMounter™ Roller Laminators

The design of JetMounter™ roller laminators is the culmination of three decades experience in the mounting and laminating business. Equipped with the performance features our customers demand, JetMounter™ roller laminators are unmatched for value.

# JETMOUNTER

## JetMounter™ 63

### Heated top roller laminator gives maximum flexibility.

The JetMounter™ 63 is a versatile wide-format roller laminator with roll to roll capability at a price you didn't think was possible. The addition of the heated top roller allows it to be used with Heatset™ laminates and single-sided thermal adhesives as well.

#### JETMOUNTER™ 63 SPECIFICATIONS

Max Laminating Width	63"
Max Nip Opening	2" (50.8mm)
Weight	970 lbs. (440 kg)
Width	83" (2108 mm)
Depth	29" (737mm) w/o table up 32" (813mm) w/ table up
Height	49" (1245mm)
Roller Diameter	5.5" (139.7mm)
Speed Range	12 ft/minute (0 -6 m/minute )
Power	220V 50/60Hz, 13A USA

## Features:

- Top silicone roller has a range of room temperature to 248°F (120° Celsius)
- Effective laminating width of 63" (1600mm)
- Auto and foot pedal running mode
- Speed control 0 - 12 ft (3.65m) per minute
- Maximum 2" nip opening
- Nip pressure indicator
- Fold away front table
- Heavy duty lockable casters
- Two emergency stops
- "Hold flat" paper in-feed guide
- Large 5.5" diameter non-stick silicone rollers
- Self-checking photo cells for finger protection
- Top and bottom auto-grip supply shafts with brake tension control
- Top and bottom wind-up with clutch adjustable speed.
- Auto-grip shafts (eliminate the need for core chucks)
- Single mechanical pressure adjustment (No compressor needed)
- Extra windup shaft for rewinding roll to roll

## JetMounter™ 54SHA

In addition to the standard features offered by all JetMounter™ electric models, including variable speed electric drive, silicone rollers, all-steel construction, forward & reverse, foot pedal and photo-electric safety stop, the JetMounter™ 54 SHA offers these additional features:

- Single height adjuster to set even pressure more easily
- LCD pressure gauge display allows greater control over the process
- Front-mounted supply shaft enables clean and safe loading of media to be laminated
- Optional stand with casters

### JETMOUNTER™ 54SHA SPECIFICATIONS

Max Laminating Width	54.50" (1344mm)
Max Nip Opening	1" (25mm)
Weight	331lbs (150kg)
Width	70.5" (1791mm)
Depth	19" (480mm)
Height	19" (480mm)
Roller Diameter	5" (127mm)
Speed Range	2-10 fpm (0.9-3mpm)
Power	115 VAC or 230 VAC 50/60 Hz



## JetMounter™ 44

The JetMounter™ 44 offers similar functionality at a lower price point. Recommended for shops that want wide format mounting and finishing capabilities without a higher end price. Can be operated on a work table or counter or mounted on the optional stand with casters.

### JETMOUNTER™ 44 SPECIFICATIONS

Max Laminating Width	44.125" (1121mm)
Max Nip Opening	1" (25mm)
Weight	243lbs/110kg
Width	61" (1549mm)
Depth	19" (480mm)
Height	19" (480mm)
Roller Diameter	4" (102mm)
Speed Range	3-10 fpm (0.9-3mpm)
Power	115 VAC or 230 VAC 50/60Hz



## JetMounter™ 18 & JetMounter™ 26

The JetMounter™ 26 and JetMounter™18 are motorized table top laminators operated by a foot switch, leaving both hands free to handle the work being processed. These models are designed for mounting and laminating inkjet outputs—but are equally capable of handling photographic or any printed media. Both models include a supply shaft and self-checking photo cells for finger protection.



Note: There are no rewind shafts on these models.

### JETMOUNTER™ 18 & 26 SPECIFICATIONS

	JetMounter™ 18	JetMounter™ 26
Max Laminating Width	18.25 in. (464mm)	26.25" (670 mm)
Max Board Thickness	.75" (190mm)	.375" (10 mm)
Weight	51lbs (23kg)	53 lbs (24 kg)
Width	25.5" (648mm)	33.25" (845 mm)
Depth	11.75" (299mm)	12.2" (310 mm)
Height	13" (330mm)	12.2" (310 mm)
Speed Range	2.5-18 fpm (0.8-3 mpm)	2.5-18 fpm/08.-3.0 mpm
Power	115 VAC or 230 VAC 50/60 Hz	115 VAC or 230 VAC 50/60 Hz

## JetMounter™ ML25

This table-top manual laminator is an inexpensive option for small photo studios or copy shops that want a quick solution to mount or laminate small pieces. Simple, durable construction make this model easy to use.



### JETMOUNTER™ ML25 SPECIFICATIONS

Max Laminating Width	25.5 in. (648mm)
Max Nip Opening	.375 in. (10mm)
Weight	32 lbs. (14 kg)
Width	27.375 in. (695.3mm)
Depth	24.5 in. (622mm)
Height	10.25 in. (260mm)
Roller Diameter	2.5 in. (63.5mm)